



DEPARTMENT OF REGULATORY AND ECONOMIC RESOURCES (RER)  
BOARD AND CODE ADMINISTRATION DIVISION

## NOTICE OF ACCEPTANCE (NOA)

MIAMI-DADE COUNTY  
PRODUCT CONTROL SECTION

11805 SW 26 Street, Room 208  
Miami, Florida 33175-2474  
T (786) 315-2590 F (786) 315-2599

[www.miamidade.gov/economy](http://www.miamidade.gov/economy)

**MiTek Industries, Inc.**  
**14515 North Outer Forty Drive, Suite 300**  
**Chesterfield, MO 63017**

### SCOPE:

This NOA is being issued under the applicable rules and regulations governing the use of construction materials. The documentation submitted has been reviewed and accepted by Miami-Dade County RER - Product Control Section to be used in Miami Dade County and other areas where allowed by the Authority Having Jurisdiction (AHJ).

This NOA shall not be valid after the expiration date stated below. The Miami-Dade County Product Control Section (In Miami Dade County) and/or the AHJ (in areas other than Miami Dade County) reserve the right to have this product or material tested for quality assurance purposes. If this product or material fails to perform in the accepted manner, the manufacturer will incur the expense of such testing and the AHJ may immediately revoke, modify, or suspend the use of such product or material within their jurisdiction. RER reserves the right to revoke this acceptance, if it is determined by Miami-Dade County Product Control Section that this product or material fails to meet the requirements of the applicable building code.

This product is approved as described herein, and has been designed to comply with the Florida Building Code, including the High Velocity Hurricane Zone.

### DESCRIPTION: MT 20 Truss Connector Plate

**APPROVAL DOCUMENT:** Drawing No. **916.02**, titled "Truss Connector Plate 20 Gauge", sheet 1 of 1, dated 11/11/1999, with last revision dated 06/18/2008, prepared for MiTek Industries, Inc., signed and sealed by David C. Wert, P.E., bearing the Miami-Dade County Product Control renewal stamp with the Notice of Acceptance number and expiration date by the Miami-Dade County Product Control Section.

### MISSILE IMPACT RATING: None

**LABELING:** Each unit shall bear a permanent label with the manufacturer's name or logo, city, state, model/series, and following statement: "Miami-Dade County Product Control Approved", unless otherwise noted herein.

**RENEWAL** of this NOA shall be considered after a renewal application has been filed and there has been no change in the applicable building code negatively affecting the performance of this product.

**TERMINATION** of this NOA will occur after the expiration date or if there has been a revision or change in the materials, use, and/or manufacture of the product or process. Misuse of this NOA as an endorsement of any product, for sales, advertising or any other purposes shall automatically terminate this NOA. Failure to comply with any section of this NOA shall be cause for termination and removal of NOA.

**ADVERTISEMENT:** The NOA number preceded by the words Miami-Dade County, Florida, and followed by the expiration date may be displayed in advertising literature. If any portion of the NOA is displayed, then it shall be done in its entirety.

**INSPECTION:** A copy of this entire NOA shall be provided to the user by the manufacturer or its distributors and shall be available for inspection at the job site at the request of the Building Official. This NOA **renews NOA # 12-0119.07** and consists of this page 1 and evidence page E-1, as well as approval document mentioned above.

The submitted documentation was reviewed by **Carlos M. Utrera, P.E.**



*[Signature]*  
09/07/2012

NOA No. 12-0601.04  
Expiration Date: June 20, 2017  
Approval Date: September 20, 2012  
Page 1

**NOTICE OF ACCEPTANCE: EVIDENCE SUBMITTED**

**A. DRAWINGS “Submitted under NOA # 08-0710.02”**

1. Drawing No. **916.02**, titled “Truss Connector Plate 20 Gauge”, sheet 1 of 1, date 11/11/9999, with last revision dated 06/18/2008, prepared for MiTek Industries, Inc., signed and sealed by David C. Wert, P.E.

**B. TESTS “Submitted under NOA # 08-0710.02”**

1. Test reports on Metal Truss Connector Plate Lateral Resistance, Shear and Tension Tests per ANSI/TPI 1-2002 of a MT 20, prepared by PSF Corporation, Test Report No. **07-106**, dated 04/14/2008, signed and sealed by James A. Rothman, P.E.

**C. CALCULATIONS**

1. None.

**D. QUALITY ASSURANCE**

1. Miami-Dade Department of Regulatory and Economic Resources (RER)

**E. MATERIAL CERTIFICATIONS**


1. None.

**F. STATEMENT “Submitted under NOA # 12-0119.07”**

1. Statement letter of code conformance to 2010 FBC and ANSI/TPI 1-2007, issued by PSF Corporation, dated 01/18/2012, signed and sealed by James A. Rothman, P.E.

**“Submitted under NOA # 08-0710.02”**

2. Statement letter of code conformance and no financial interest issued by MiTek Industries, Inc., dated 06/18/2008, signed and sealed by Stephen W. Cabler, P.E.



09/07/2012

Carlos M. Utrera, P.E.  
Product Control Examiner  
NOA No. 12-0601.04


Expiration Date: June 20, 2017  
Approval Date: September 20, 2012

# MiTek Connector Plate MT20

## 1.1 Material Characteristics:

Model  
MiTek MT20  
Thickness  
0.0356, Gauge 20  
Mechanical Properties  
ASTM A653 SS, Grade 40  
Coating  
G60 per ASTM A653  
Teeth Density  
8 teeth/sq. in.  
Size  
One-inch increments

## 1.2 Plate Layout



## Notes:

- 1) The teeth are approximately 3/8" long and 1/8" wide, spaced at 1/4" center to center along the width of the plate, and staggered at 3/32" in the longitudinal direction. Each row of teeth is spaced at 1/2 in.
- 2) 'A' direction is parallel to slot length and 'E' direction is perpendicular to slot length.
- 3) The lumber used for the tested specimens was Southern Pine.
- 4) MiTek MT20 truss plates are metal connectors manufactured from 20 gauge steel sheet used in the fabrication of prefabricated trusses of Southern Pine only.

## 1.3 Design Values:

1.3.1 Allowable Lateral Resistance values in lb/in<sup>2</sup> of plate for Southern Pine  
Direction of Grain & Load with Respect to Length of Plate  
AA EA AE EE  
174 150 136 144

Note:  
Press type: Hydraulic, pneumatic, or multiple pass roller

## 1.3.2 Shear Value in lb/in/pair

Direction of Load with Respect to Length of Plate  
0° 30° 60° 90° 120° 150°  
Shear Resistance Values (lb/in/pair)  
567 772 914 559 511 544

## 1.3.3 Tension Value in lb/in/pair

Parallel (lb/in/pair) 967  
Perpendicular (lb/in/pair) 1048

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No 12-0601.04  
Expiration Date 06/20/2017  
By [Signature]  
Miami Trade Product Control

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No 12-0112.07  
Expiration Date 06/20/2012  
By [Signature]  
Miami Trade Product Control

PRODUCT RENEWED  
as complying with the Florida  
Building Code  
Acceptance No 08-0710.02  
Expiration Date 06/20/2008  
By [Signature]  
Miami Trade Product Control

Product:	MiTek MT20
Description:	Truss Connector Plate 20 Gauge
Manufacturer:	MiTek Industries, Inc. 14515 North Outer Forty Dr. Suite 300 Chesterfield, MO 63017
Drawing Number:	916.02
Sheet:	Page 1 of 1
Drawing Date:	11-11-99
Revision Date:	6-18-08
Name and Registration	David C. West, P.E. 36197
No. of FL P.E.:	

6/19/08